

Athlete Motion Tracking Project Plan

Team Number

sdmay19-01

Client: Precision Performance Cycling (Nathan Johnson)

Adviser: Craig Rupp

Team Members

Monte Friestad:

Ryan Hansen:

Nathan Mazarelo:

Madeline Rogers:

Email: sdmay19-01@iastate.edu

Website: <http://sdmay19-01.sd.ece.iastate.edu/>

Table of Contents

1 Introductory Material	5
1.1 Acknowledgement	5
1.2 Problem Statement	5
1.3 Operating Environment	5
1.4 Intended Users and Intended Uses	5
1.5 Assumptions and Limitations	5
1.6 Expected End Product and Other Deliverables	6
2 Proposed Approach and Statement of Work	7
2.1 Objective of the Task	7
2.2 Functional Requirements	7
2.3 Constraints Considerations	7
2.4 Previous Work And Literature	7
2.5 Proposed Design	7
2.6 Technology Considerations	8
2.7 Safety Considerations	8
2.8 Task Approach	8
2.9 Possible Risks And Risk Management	8
2.10 Project Proposed Milestones and Evaluation Criteria	8
2.11 Project Tracking Procedures	8
2.12 Expected Results and Validation	8
2.13 Test Plan	8
3 Project Timeline, Estimated Resources, and Challenges	9
3.1 Project Timeline	9
3.2 Feasibility Assessment	9
3.3 Personnel Effort Requirements	9
3.4 Other Resource Requirements	9

3.5 Financial Requirements	10
4 Closure Materials	10
4.1 Conclusion	10
4.2 References	10
4.3 Appendices	10

List of Figures

List of Tables

List of Symbols

List of Definitions

1 Introductory Material

1.1 ACKNOWLEDGEMENT

The Athlete Tracking Team would like to thank Nathan Johnson, of Precision Performance Cycling, for his time, financial aid, technical experience, and equipment. As the sole proprietor and employee of Performance Cycling we worked closely with Nathan through the project. He provided us great examples and a clear direction for our project.

1.2 PROBLEM STATEMENT

Elite cycling athletes depend strongly on a good fitting bike fit. The bike fit encompasses the saddle height, three separate angles of the saddle, handlebar stem length, and handlebar angle. Each variable translates into athlete body position. The fitting is currently done by eye with no angle analysis and only exists on a trainer.

The project will encompass two different systems: a video system and hardware system of sensors. These two systems will operate both in a lab and during real life training and races. The data will be saved for coaches and athletes to analyze at a later time - not live feed. The client requested this so the athlete will not change their performance during the race according to the data collected.

In addition, the different angles will be presented on the screen but not analyzed. Each athlete is different depending on their body. Thus, the data will be presented as calculated and not compared to a preferred ratio. Instead, the coach and athlete will make the next steps to better the performance independently.

The future outlook for this project will be to use this system for running as well. This expansion into running will also allow for the expansion of the company. The requirements will translate over and only require a few software implementations.

1.3 OPERATING ENVIRONMENT (ONE PARAGRAPH +)

The two systems will be held to two different locations while maintaining the common underlying fact that it cannot interfere with the athlete. The video analysis is to be done indoors. The stickers for the tracking must be easily visible for the camera and ergonomical for the athlete.

The hardware system is comprised of accelerometers and pressure sensors. The hardware system will be used outside during races and training. The locations for the sensors will be dynamic, needing them to be wireless. In addition, the sensors will need to be waterproof and durable for multiple hour races or training sessions in the rain over roads.

1.4 INTENDED USERS AND INTENDED USES (TWO PARAGRAPH +)

The end consumer will be the athlete. The athlete has a strong background in cycling and understands their comfort level. This system is used to collect data from a real life scenario and turn it into data that they can read and understand. Therefore, collecting the data must not interfere with the athlete. Then on the final product, the data must be presented in a way that is easy for both the athlete and coach to read. The coach and athlete will take the data and analyze it on their own, only needing the angles and pressure values reported.

The raw data will also need to be looked at in an outside format. The client would like the data reported for the athlete and coach but also accessible to be pulled out for further analysis.

1.5 ASSUMPTIONS AND LIMITATIONS

The first assumption is that the sensors and camera will collect data fast enough to account for the biking and running rpms at 107 and 170, respectively. This is important to create the proper amount of points to avoid skewing the data. The other assumption is that the system can be used for multiple athletes. The client uses their system on multiple different athletes. Therefore, the next assumption is that the systems can put on multiple different athletes and not have the analysis skewed.

The limitations we are facing vary. The first limitation comes from the rider comfort. The stickers for the camera and the sensors for the system need to not interfere with the athlete. The other limitation needs to be that the sensors are wireless. Sensors when not fitted properly will affect how the rider is positioned on bike making the data not representative of when the sensors or stickers are not on the rider. The next limitation is price on the camera. While the price of camera was not specifically laid out, many cameras that are used for athlete body position are in the tens of thousands of dollars. In addition, the area used for these camera is quite large. The space specified for the system we are producing is not as large as these cameras require.

1.6 EXPECTED END PRODUCT AND OTHER DELIVERABLES

There are two deliverables that are expected: the image capturing system and the hardware sensor system. The project is split into two very intense sections based on the two systems. The first system is due by the end of the first semester. The system encompasses everything from choosing the camera, collecting the data, analyzing it, and presenting the data in a user friendly manner. While keeping this on track, testing needs to be implemented along the way, different software and sources need to be used to get the data into a format that will be usable, and then presented into an interface for the coach and athlete. The deliverable is working system that includes a camera and a web app for the consumers to use.

The second portion of our project was listed to begin after the first part is complete. The hardware system is currently scheduled to be completed by the end of the second

semester. The deliverable is the hardware system and the app that will relay the info from the system. The hardware will include the sensors and a transmitting device that will allow for the data to be transmitted from the wireless sensors.

2 Proposed Approach and Statement of Work

2.1 OBJECTIVE OF THE TASK

The goal of the project is to create a system to measure, compile, and display the motion of an athlete, specifically a bicyclist. The project will measure the motion of an athlete through video and sensors. This motion includes the motion of a rider on a bicycle, a person running, and even an motion an athlete may perform. Once the measurements about the athlete has been taken, the data is compiled into a database to be displayed for the coach, trainer, or athlete. This data will be displayed in a web application and will show the measurements and change over time to the user. The user should also be able to see the results graphically and view the sensor readings and video at different times. This interface will be available in real time in lab scenarios and will always be available after training.

2.2 FUNCTIONAL REQUIREMENTS

- Able to capture and analyse video of an athlete riding a bicycle in the lab setting.
- Able to capture sensor data of an athlete riding a bicycle in any setting.
- Logging data captured outside of the lab.
- Able to compare data and readings over multiple training sessions.
- Data is shown in the raw form and little analysis is done to the data.
- Should be able to view the data as it is collected in the lab setting.
- Should be able to view previous runs from any setting.

2.3 CONSTRAINTS CONSIDERATIONS

- Measurements should be consistent per athlete and within 2.5%.
- The is not a precise requirement for price, it should be as low as possible.
- Be able to handle 150 rpm for cycling and 170 rpm for running.

2.4 PREVIOUS WORK AND LITERATURE

The Dartfish software gives the angles of various parts of the body for athletes on camera. This software takes a video and shows the angles of the athlete's back, legs, and arms over top of the athlete. The Dartfish software is the closest to the goal of our project, however, there are a few main differences. The most notable difference is that our software wants to include readings and measurements as data to accompany the video. The Dartfish software does not allow the user to analyze the data any farther than the video overlay.

Other software requires the user to wear a specific suit inside of a highly calibrated room. While this software is very precise, it is expensive and inhibits the user by requiring many sensors to be placed on the body. The goal of our project would be to create a less precise version which is cheaper and less inhibitive.

2.5 PROPOSED DESIGN

For the video capture, there are a few alternatives, mostly revolving around the placement and quantity of the cameras in the lab. For the number of cameras used, there are many options however, of the likely possibilities, there will be between 3 or 4 cameras. Having 1 camera comes with a high cost of accuracy. More than 4 cameras increases the cost of the project greatly while each extra camera does little to improve quality. Now the placement of the cameras is important as well. For 2 cameras, there are three possibilities: front and back, one on each side, or one side and one in front. The main issue with any of these configurations is that some data about the location can be lost. To recover this data we need to add in the third camera. After considering these possibilities, the design needed either 3 or 4 cameras.

For three cameras, there are 2 configurations that will be tested. The first has two cameras to the side of the athlete and one in front. From these three angles, measurements can be taken which measure the movement of the hips, knees, shoulders, and other important parts of the body that we need to measure. Similarly, the two side cameras could be placed at an angle behind the athlete so that each camera is 120 degrees apart. Testing will decide which configuration produces better results. Now, for four cameras, the cameras would be placed so that they are equally spaced around the athlete, 90 degrees between neighboring cameras. This could be done by placing cameras in front, behind, and either side or rotating that configuration. Testing will determine whether the fourth camera is worth the cost and which configuration provides the highest accuracy.

2.6 TECHNOLOGY CONSIDERATIONS

Highlight the strengths, weakness, and trade-offs made in technology available.

For the camera, there are many options on the market and in general, an increase in price produces a higher quality image. Therefore, most of the trade off is cost versus quality. The lowest price product that will likely have accurate enough readings is the Microsoft Kinect.

This device costs \$110 per camera and does not require any specific software. The other main camera that we have considered is the OptiTrack, which starts at \$300 per camera, but also has an installation fee and requirement for their software, which is \$500 per year. The last possibility would be the ipiSoftware. This uses \$60 cameras and uses software which costs \$1000.

The next consideration is software for processing the video. For two of the cameras, they come with their own software. However, other software is available including Dartfish, which has a \$70 monthly fee and works with any camera. This software is highly recommended by people in the industry and would likely be the software used if the camera system does not come with its own software.

The last factor would be hosting the web application and database. The price for the hosting would be determined once the size of the database and web server is known. However, Microsoft hosting starts at \$0.05 per GB. For the web application, there are many possibilities, however the project will be made in python using popular, free, open source libraries like Django and Numpy.

2.7 SAFETY CONSIDERATIONS

The first and only safety consideration is that our sensors and cameras do not inhibit the athlete in a way that will cause injury.

2.8 TASK APPROACH

We intend to approach the tasks at hand using the design thinking model which is included below (Figure 1). Our methods to approach the project will be discussed in our weekly meetings and directly with the client.




Figure 1

2.9 POSSIBLE RISKS AND RISK MANAGEMENT

Cost: we aren't sure how much our client Nathan is willing to spend. We have a few different approaches to producing a product that works for both of us.

Materials: we aren't sure how we will obtain the materials for the final setup. We have been using free trial software and we reserved a Microsoft Kinect for testing with Microsoft's developer toolkit. The materials we need can be relatively cheap all the way up to camera systems that can cost anywhere between 2k-20k.

Equipment: Cameras for motion tracking. We are thinking a minimum of 4 cameras to cover every position for the athlete up to a maximum of 8.

Knowledge of area: We aren't professional cyclists, so most of our information will be coming directly from Nathan.

Accuracy issues: Our client didn't seem concerned with accuracy issues, he wants us to focus on precision.

2.10 PROJECT PROPOSED MILESTONES AND EVALUATION CRITERIA

Key milestones: Video tracking, interpreting tracking data, web application to show data that can easily be interpreted by athletes and coaches.

Testing: We will create a testing video and move all of the target areas on the body to evaluate and confirm that our tracking software is recording movements correctly. We will also have to test to see if our program is interpreting the data sent from the cameras properly and that all the angles are updated frame by frame. The web app needs to show the data in an easy to understand way and we will need to test and confirm that the data is uploaded correctly.

2.11 PROJECT TRACKING PROCEDURES

Weekly Reports, weekly agenda presentations during meetings, gitlab and trello.

2.12 EXPECTED RESULTS AND VALIDATION

Tracking: Robust tracking of anchor and dynamic portions, rotation in hip, ankles and knee.

Efficiency: Not just cycling but also running applications.

Expected overall results: Stickers on body to easily track desired anchor points. Maybe qr codes or special tracking stickers? Focus mainly on precision not accuracy. Lower back is the central point, ankle, knee, and hip are other tracking areas of concern. Determine average angles and deviations. Also wanted to have pressure sensors for the athletes feet and possibly for the handlebars in the future after motion tracking is solid. Power outputs for agility. Devices that we use need to be able to sync with one another. Most of his clients use a Garmin module on their bikes for speedometer readings, could use the sensors on the Garmin device to aid in data collection. Need to track the athlete's foot, it should be going in a uniform circular motion since the pedals follow this motion. Need to detect when its going out of motion. Cadence requirements of 150 rpm for cycling 170 rpm for running. Doing the video capture for the first deliverable isn't the main issue, its how we interpret the data and present it in an easy to understand form. Focus on storing the data, doesn't necessarily need to be real time. Need to be able to compare data over time not actively.

Not comparing the athletes, personalized data between different sessions during different days of the week. Does the athlete data change between sessions? Identify if its due to injuries or injuries that could potentially happen or if it's just due to them being fatigued. We need to be able to catch abnormalities before an injury occurs.

Any device needed that the athlete will wear needs to be non intrusive, stay in position, and be able to handle all weather conditions.

Parts of the bike we need to be aware of in tracking: saddle, handlebars, stem, pedals and foot cleats.

Validation: We will test and confirm each part that we need to track is being recorded correctly before moving onto additional tracking points.

2.13 TEST PLAN

1st: Test the camera and their functionalities. Make sure that the devices we use are reliable and easy to calibrate. Record position and sensitivity settings. Perform baseline testing that we can use to compare with other data that we acquire. Data should be easy to understand so after the data we collect looks good, we need to find a way to accurately display it to the user. The user also should have the capability of viewing data gathered from previous runs.

3 Project Timeline, Estimated Resources, and Challenges

3.1 PROJECT TIMELINE

Project development will be divided into 3 distinct phases, each corresponding to a set of deliverables expected at the end of each phase. Phase 1 will consist of implementing an image capturing system to collect data monitoring the athlete's motion. A web application will also be made to display the data captured by the camera. Phase 2 will consist of creating the hardware to detect the athlete pressure readings using sensors and then display that data onto the web application. Phase 3 will have the final rounds of testing for the image capturing system and hardware sensors to make sure they meet the constraints of the project. Phase 3 will also include the final documentation and presentation of the project to our client.

The phases will be divided into a number of agile sprints. For phase 1 the sprints will consist of 30 day work periods. Each sprint will have tasks assigned to every member that will guide the team to complete the deliverables required at the end of the phase.

Phase Number	Description of Work	Estimated Number of weeks	Estimated Number of Agile Sprints	Comments
Phase 1	<p>Implementing the image capturing system and web application for user interface</p> <ul style="list-style-type: none"> ● Research different options for motion tracking cameras and software that is compatible with said camera ● Research web development and other software that can be used to show data extracted from the cameras on the website ● A front end web interface is constructed for the user to see the data retrieved from the image capturing system ● A back end database is constructed to store all the data on a per athlete entry. This way the coach can pull up previous records for an athlete and compare to new data ● An image capture system is to be found that can track the designated points of motion back to the user through software 	13	3	This will be the start of the first semester
Phase 2	<p>Implementing the hardware sensor and displaying the data on the web app</p> <ul style="list-style-type: none"> ● Hardware is to be constructed to have sensors that will wirelessly transmit the information to a database so it can be used on the web page ● The front end interface is modified to see and display the data retrieved from the hardware sensor 	TBD	TBD	This will be the start of the second semester

Phase 3	Testing, polish work, and final documentation <ul style="list-style-type: none"> • After Completing the motion tracking camera, hardware sensors, and web page we will begin testing for accuracy/bugs • Begin work on the final presentation • Present the final project to our client 	TBD	TBD	
---------	--	-----	-----	--

Sprint Number	Phase Number	Start Date	End Date
1	1	Monday, Sept. 3, 2018	Wednesday , Oct. 3, 2018
2	1	Friday , Oct, 5, 2018	Monday, Nov. 5, 2018
3	1	Wednesday, Nov. 7 , 2018	Friday , Nov. 30 2018
4-?	2-3	TBD	TBD

3.2 FEASIBILITY ASSESSMENT

This project will deal with extracting data, processing data, and storing data, and then displaying it to the user on a web application. This project may be difficult due to the precision required for the data that is being collected.. The manner in which the data is being recorded for each athlete has to have minimal variation from week to week to ensure that coach and athlete can effectively compare such data. Other concerns that arise are from the lack of experience in web development. Since the data is to be presented in way that both the coach and athlete can easily interpret the data. It is integral that we make the presentation of data as user friendly as possible.

3.3 PERSONNEL EFFORT REQUIREMENTS

We have been able to setup the project in a way that splits the focus of the project into two main ideas. These ideas include data collection and data presentation. The data collection will be hardware based while data presentation will be software based. Two

members will be tasked with doing the hardware aspect while the other two will be doing the software aspect. While we have gone over the main ideas of each focus in the 3 phases of development we have not yet fully assigned tasks yet. We will have a better understanding of what exactly needs to be done for upcoming versions.

3.4 OTHER RESOURCE REQUIREMENTS

A few other resources will be needed to complete the software and hardware sides of the project. To develop the code required for the web application, an IDE like PyDev will be needed. Using an IDE for the code development part of the project will help with overall efficiency because we can use integrated features like auto import, code analysis, debugger, and much more to support us when writing code. In addition to the IDE, the software side of the project will also require a database to store the data retrieved by motion tracking cameras.

3.5 FINANCIAL REQUIREMENTS

Items	Description	Price
Hardware		
Motion tracking Cameras	Cameras needed to track points of motion on athletes bodies for further analysis	TBD
Pressure Sensors	Sensors will track the amount of pressure the athlete is using	TBD
Prototype Design materials	A makeshift bike axle will be constructed to test the accuracy of the software created to track points of motion	TBD
Software		
Camera Software	Software the will help track motion through the camera and give back data in format that can be used for other analysis	TBD
Database Server	Data recorded by the cameras will need to stored onto a database so records can be accessed at anytime needed	TBD

4 Closure Materials

4.1 CONCLUSION

For our senior design project, we have been given to opportunity to design a system for tracking the motion of various athletes. Our client Nathan Johnson, owner of Precision Performance Cycling, has given us this task as a way to further the performance of his own clients. To fulfil this task, we will be implementing motion tracking cameras and pressure sensors to be positioned around the athlete to give us optimal readings of motion for further analysis. All data will be be readily available through the interactive web application being built for the users of the motion tracking system. The web application will create an easy and organized means for the athletes and their coaches to analyze the data as they see fit and create optimal changes to their movement based on the information that they are seeing through our web application. This project is intended as a way to give athletes a means of optimizing their performance through analysis of their own motion. Our team is excited to help Nathan and rest of Precision Performance Cycling in their goal of improving and developing their clients.

4.2 REFERENCES

<http://ipisoft.com>

<https://shiffman.net/p5/kinect/>

<https://matplotlib.org>

<http://www.glowscript.org/docs/VPythonDocs/index.html>

4.3 APPENDICES